# Safety Data Sheet

According to U.S.A. Federal Hazcom 2012

## 1. Identification

**1.1. Product identifier**

Code: **PFP1**

Product name **HIDRO 150**

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Intended use **WATER-BASED STAIN-PROOF IMPREGNATOR**

**1.3. Details of the supplier of the safety data sheet**

Name **FABER CHIMICA S.R.L.**

Full address **Via Ceresani 10**

District and Country **60044 Campo D'Olmo - Fabriano (ANCONA)**
**ITALIA**

**Tel. 0732627178**

**Fax 073222395**

e-mail address of the competent person

responsible for the Safety Data Sheet **quality@fabersurfacecare.com**

**Distributor in USA**

TILE MEDIA PROPERTIES Inc.
(THE TILE DOCTOR)
1395 S. Marietta Parkway SE. Bldg. 800
Marietta GA. 30067
USA
Tel: 1-877-845-3362

**1.4. Emergency telephone number**

For urgent inquiries refer to **CHEMTREC - US callers 800-424-9300.**

**CHEMTREC - Callers Outside the US +1-703-527**

## 2. Hazards identification

**2.1. Classification of the substance or mixture**

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement

| | |
|---|---|
| Eye irritation, category 2 | Causes serious eye irritation. |
| Skin irritation, category 2 | Causes skin irritation. |

Hazard pictograms:

| | |
|---|---|
| Signal words: | Warning |
| Hazard statements: | |
| **H319** | Causes serious eye irritation. |
| **H315** | Causes skin irritation. |
| Precautionary statements: | |
| **P280** | Wear protective gloves / eye protection / face protection. |
| **P264** | Wash . . . thoroughly after handling. |
| Response: | |
| **P305+P351+P338** | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| **P332+P313** | If skin irritation occurs: Get medical advice / attention. |
| **P337+P313** | If eye irritation persists: Get medical advice / attention. |
| **P302+P352** | IF ON SKIN: Wash with plenty of water / . . . |
| **P362+P364** | Take off contaminated clothing and wash it before reuse. |
| Storage: | -- |
| Disposal: | -- |

**2.2. Other hazards**

Information not available

## 3. Composition/information on ingredients

**3.2. Mixtures**

Contains:

| **Identification** | **Conc. %** | **Classification:** |
|---|---|---|
| **Tripotassium propylsilanethriolate** | | |
| CAS 93857-00-2<br>EC 299-135-8<br>INDEX -<br>REACH Reg. 01-2119970331-43 | 1.494 | Skin corrosion, category 1A H314, Serious eye damage, category 1 H318 |

**PROPAN-2-OL**

| | | |
|---|---|---|
| CAS 67-63-0 | 1.14 | Flammable liquid, category 2 H225, Eye irritation, category 2A H319, Specific target organ toxicity - single exposure, category 3 H336 |
| EC 200-661-7 | | |
| INDEX 603-117-00-0 | | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## 4. First-aid measures

**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.
SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.
INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.
INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

**4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

## 5. Fire-fighting measures

**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT
Choose the most appropriate extinguishing equipment for the specific case.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

**5.2. Special hazards arising from the substance or mixture**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
The product is neither flammable nor combustible.

**5.3. Advice for firefighters**

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS
Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## 6. Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

**6.3. Methods and material for containment and cleaning up**

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

**6.4. Reference to other sections**

Any information on personal protection and disposal is given in sections 8 and 13.

## 7. Handling and storage

**7.1. Precautions for safe handling**

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

**7.2. Conditions for safe storage, including any incompatibilities**

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

**7.3. Specific end use(s)**

Information not available

## 8. Exposure controls/personal protection

**8.1. Control parameters**

Regulatory references:

| | | |
|---|---|---|
| USA | NIOSH-REL | NIOSH publication No. 2005-149, 3th printing, 2007. |
| USA | OSHA-PEL | Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000. |
| USA | CAL/OSHA-PEL | California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs). |
| | TLV-ACGIH | ACGIH 2022 |

**PROPAN-2-OL**

**Threshold Limit Value**

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|---|---|---|---|---|---|---|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| TLV-ACGIH | - | 492 | 200 | 983 | 400 | |

| | | | | | |
|---|---|---|---|---|---|
| OSHA | USA | 980 | 400 | | |
| CAL/OSHA | USA | 980 | 400 | 1225 | 500 |
| NIOSH | USA | 980 | 400 | 1225 | 500 |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

**8.2. Exposure controls**

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

HAND PROTECTION
Protect hands with category III work gloves.
The following should be considered when choosing work glove material (OSHA 29 CFR 1910.138): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION
If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## 9. Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

| Properties | Value | Information |
|---|---|---|
| Appearance | liquid | Temperature: 20 °C |
| Colour | yellowish | |
| Odour | odourless | Concentration: 100 % |
| Odour threshold | not available | |
| pH | 11 | Concentration: 5 % |
| Melting point / freezing point | 0 °C | |
| Initial boiling point | 100 °C (212 °F) | |
| Boiling range | not available | |
| Flash point | not available | |
| Evaporation rate | not available | |

| | |
|---|---|
| Flammability | incombustible |
| Lower inflammability limit | not available |
| Upper inflammability limit | not available |
| Lower explosive limit | not available |
| Upper explosive limit | not available |
| Vapour pressure | 2.307 Atm |
| Vapour density | not available |
| Relative density | 1018 g/l |
| Solubility | soluble in water |
| Partition coefficient: n-octanol/water | not available |
| Auto-ignition temperature | not available |
| Decomposition temperature | not available |
| Viscosity | 43.03 |
| Explosive properties | not available |
| Oxidising properties | not available |

**9.2. Other information**

Information not available

## 10. Stability and reactivity

**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

The vapours may also form explosive mixtures with the air.

**10.4. Conditions to avoid**

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

**10.5. Incompatible materials**

Information not available

**10.6. Hazardous decomposition products**

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

## 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

**11.1. Information on toxicological effects**

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

PROPAN-2-OL

| | |
|---|---|
| LD50 (Oral): | 4710 mg/kg Rat |
| LD50 (Dermal): | 12800 mg/kg Rat |
| LC50 (Inhalation vapours): | 72.6 mg/l/4h Rat |

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Carcinogenicity Assessment:

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

**12.1. Toxicity**

Information not available

**12.2. Persistence and degradability**

PROPAN-2-OL

Rapidly degradable

**12.3. Bioaccumulative potential**

PROPAN-2-OL

| | |
|---|---|
| Partition coefficient: n-octanol/water | 0.05 |

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

**12.6. Other adverse effects**

Information not available

## 13. Disposal considerations

**13.1. Waste treatment methods**

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

**14.1. UN number**

not applicable

**14.2. UN proper shipping name**

not applicable

**14.3. Transport hazard class(es)**

not applicable

**14.4. Packing group**

not applicable

**14.5. Environmental hazards**

not applicable

**14.6. Special precautions for user**

not applicable

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Information not relevant

## 15. Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

U.S. Federal Regulations

Clean Air Act Section 112(b):

| | |
|---|---|
| 122-99-6 | 2-PHENOXYETHANOL (Glycol ethers) |

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

Clean Water Act –
Priority Pollutants:

No component(s) listed.

Clean Water Act –
Toxic Pollutants:

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

EPA List of Lists:

313 Category Code:

| | |
|---|---|
| 122-99-6 | 2-PHENOXYETHANOL (Glycol ethers) |
| 67-63-0 | PROPAN-2-OL |

EPCRA 302 EHS TPQ:

No component(s) listed.

EPCRA 304 EHS RQ:

No component(s) listed.

CERCLA RQ:

| | |
|---|---|
| 1310-58-3 | POTASSIUM HYDROXIDE |

EPCRA 313 TRI:

| | |
|---|---|
| 122-99-6 | 2-PHENOXYETHANOL (Glycol ethers) |
| 67-63-0 | PROPAN-2-OL |

RCRA Code:

No component(s) listed.

CAA 112 (r) RMP TQ:

No component(s) listed.

State Regulations

Massachussetts:

| | |
|---|---|
| 1310-58-3 | POTASSIUM HYDROXIDE |
| 67-63-0 | PROPAN-2-OL |

Minnesota:

| | |
|---|---|
| 1310-58-3 | POTASSIUM HYDROXIDE |
| 67-63-0 | PROPAN-2-OL |

New Jersey:

| | |
|---|---|
| 1310-58-3 | POTASSIUM HYDROXIDE |
| 122-99-6 | 2-PHENOXYETHANOL (Glycol ethers) |
| 122-99-6 | 2-PHENOXYETHANOL (Glycol ethers) |
| 67-63-0 | PROPAN-2-OL |

New York:

| | |
|---|---|
| 1310-58-3 | POTASSIUM HYDROXIDE |

Pennsylvania:

| | |
|---|---|
| 1310-58-3 | POTASSIUM HYDROXIDE |
| 67-63-0 | PROPAN-2-OL |

California:

| | |
|---|---|
| 1310-58-3 | POTASSIUM HYDROXIDE |
| 67-63-0 | PROPAN-2-OL |

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

## 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| | |
|---|---|
| **H225** | Highly flammable liquid and vapour. |
| **H314** | Causes severe skin burns and eye damage. |
| **H319** | Causes serious eye irritation. |
| **H315** | Causes skin irritation. |
| **H336** | May cause drowsiness or dizziness. |

LEGEND:
- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: Regulation (EC) 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REACH: Regulation (EC) 1907/2006
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:
- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh - Registry of Toxic Effects of Chemical Substances
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:
The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.
This document must not be regarded as a guarantee on any specific product property.
The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.
Provide appointed staff with adequate training on how to use chemical products.
CALCULATION METHODS FOR CLASSIFICATION
Product classification derives from criteria established by the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless determined otherwise in Section 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.