Tile and Paver Plot & Pedestal System

- ✓ Allows easy laying of Patios and Decks using 2 & 3 CM tiles and patio pavers
- ✓ Install over concrete, gravel or other stable surfaces, even some roofs.
- ✓ Elevates to allow flat surfaces with drainage underneath
- ✓ Allows running of electrical, plumbing underneath with easy access
- ✓ No need for equipment to change elevation or add expensive setting beds
- ✓ Interior or exterior floor applications
- ✓ Many sizes and heights enabling a complete project from ¾” to over 8” tall
- ✓ Full patio installed in an afternoon with low cost compared to other methods
- ✓ Great DIY Project, made a mistake? Simply correct and reinstall this forgiving system

Plot and Pedestal Installation

VIEW PEDESTAL INSTALLATION VIDEO
https://www.youtube.com/watch?v=aIAbq8UHxW4

1. Set up PLOTS
   Add the locknut for better stability.

2. Calculation (measurement)
   Square up and chalk line
   layout on floor

3. After the layout, set the first tile, nip off any tabs not required such as perimeter. Use a level to adjust the PLOT desired level.

5. Continue with the placement of tiles, level as you proceed to achieve the correct uniformity of the pavement.

6. Easy and fast dismantling if required

Plot and Pedestal Tab Removal

Tabs provide spacing between tiles.
Remove tabs for allowing edges or center supports,
remove 2 for most edges or all 4 for center support.
Clip with pliers, saw or grind to remove them.