SHOWROOM LINE

Maintenance Kits

MAIN.KIT 3Q

Maintenance kit for quartz countertop that need color enhancement

The kit contains:

- CLEAN 360
- QUARTZ CLEANER
- ENHANCER PLUS

CLEAN 360

All-purpose Neutral Cleaner

CLEAN 360 is an all-purpose water-based product for the daily cleaning of all surfaces. Its neutral formula makes the product ideal for the daily maintenance of all surfaces around the house.

CLEAN 360 contains surfactants that are extracted from pine oil and its fragrance is ECOLABEL certified.

BENEFITS

- ✓ Versatile
- ✓ Ready to use
- ✓ Great cleaning power
- ✓ Pine oil extracts

USES

Suitable for indoor and outdoor applications.
Suitable for Cotto, Terracotta, Ceramic, Porcelain tiles and slabs, Marble, Travertine, Granite, Concrete, Quartz, Steel, Glass.

APPLICATION EQUIPMENT

Microfiber cloth

APPLICATION STEPS

Before applying the product it is necessary taking a preliminary test to evaluate the suitability of the product on an unexposed area or unused piece of material

Application

- Spray the product on the surface
- Distribute and work the product using a cloth or paper towels
- Make sure to buff the product on the surface until dry
- **CLEAN 360** needs no rinsing

INSTRUCTIONS AND GUIDELINES

- Before applying the product it is necessary to take a preliminary test to evaluate its suitability

EQUIPMENT CLEANING

The equipment used can be cleaned with water

PHYSICAL AND TECHNICAL DATA

Formula	Liquid
Color	Clear
Odor	Fresh
pH	6 ± 0,5
Specific gravity at 20°C	1000 ± 5 g/l

MADE IN ITALY 100%

FABER CHIMICA SRL
60044 FABRIANO (AN) ITALY - VIA G. CERESANI 10 - LOC. CAMPO D'OLMO
PI-CF / VAT NUMBER 0100744021 - P: +39 0732 62 71 78
INFO@FABERSURFACECARE.COM - FABERSURFACECARE.COM

Biodegradability	>95%

STORAGE Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE 36 months in the original, sealed packaging, stored in a cool, dry place.

ACCIDENTAL SPILLS Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

SAFETY When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

QUARTZ CLEANER

Acidic cleaner for deep cleaning of quartz surfaces

QUARTZ CLEANER is a slightly acidic, water-based cleaner for deep cleaning of different surfaces. The special formula allows the product to penetrate inside the pores and texture deep down.

BENEFITS

- ✓ Highly effective against surface patina
- ✓ Deep cleaning action
- ✓ Concentrated formula

USES

Suitable for indoor and outdoor applications.
Suitable for Quartz agglomerates

APPLICATION EQUIPMENT White Pad

APPLICATION STEPS

Before applying the product it is necessary to take a preliminary test to evaluate the suitability of the product on an unexposed area or unused piece of material

Surface Preparation

- Before proceeding with the cleaning, it is advisable to clean away any surface residues, such as dust, debris, and coarse dirt, using a broom or a vacuum cleaner.
- Protect any surface close by that is not meant to be treated.
- Apply the product to a dry surface with a temperature between +40 e +100°f
- Wait at least 2 days after the installation for the grouting to cure completely

Application

- Dilute the product in clean water. Pour 1 part of product into 2 or 3 parts of water, according to the dirt and the stubbornness of the residues to be removed.
- Begin to work the product on the surface, using the provided white pad.
- Let it act for 10 - 20 minutes, continuing to work the product every now and then to boost its cleaning action.
- Once the time has passed, remove all residues and rinse the whole surface with plenty of water.

FABER CHIMICA SRL
60044 FABRIANO (AN) ITALY - VIA G. CERESANI 10 - LOC. CAMPO D'OLMO
PI-CF / VAT NUMBER 0100744021 - P: +39 0732 62 71 78
INFO@FABERSURFACECARE.COM - FABERSURFACECARE.COM

MADE IN ITALY
100%

APPLICATION STEPS

Resume Surface Use
After carefully removing any residues and rinsing the surface with water, the floor can be opened to foot traffic.

COMPLEMENTARY MAINTENANCE PRODUCTS MANUTENZIONE

After cleaning with **QUARTZ CLEANER** we recommend using **CLEAN 360** for the daily cleaning and maintenance.

INSTRUCTIONS AND GUIDELINES

- Do not apply the product on wet or heated surfaces
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- Do not use in combination with other chemicals
- Do not apply on acid-sensitive materials
- Before applying the product it is necessary to take a preliminary test to evaluate its suitability

EQUIPMENT CLEANING

The equipment used can be cleaned with water

PHYSICAL AND TECHNICAL DATA

Formula	Liquid
Color	Clear
Odor	Lemon
pH	1,5 ± 0,5
Specific gravity at 20°C	1010 ± 10 g/l

STORAGE

Keep the container tightly closed and store in a cool, dry place

SHELF LIFE

36 months in the original, sealed packaging, stored in a cool, dry place

ACCIDENTAL SPILLS

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

SAFETY

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

ENAHNCER PLUS

Color-enhancing, stain-resistant treatment with a matt finish, for quartz surfaces

ENHANCER PLUS is a solvent-based, color-enhancing, and stain-resistant treatment that penetrates the surface without creating a film. It deepens the color of the material making it look more vibrant.

BENEFITS

- ✓ Great stain proof protection
- ✓ UV resistant
- ✓ It won't yellow overtime
- ✓ It reduces the surface ability to store dirt
- ✓ Certified safe for use on surfaces in contact with food

MADE IN ITALY 100%

FABER CHIMICA SRL
60044 FABRIANO (AN) ITALY - VIA G. CERESANI 10 - LOC. CAMPO D'OLMO
PI-CF / VAT NUMBER 0100744021 - P: +39 0732 62 71 78
INFO@FABERSURFACECARE.COM - FABERSURFACECARE.COM

SHOWROOM LINE

USES

Suitable for indoor and outdoor applications.
Suitable for Quarz surfaces.

APPLICATION EQUIPMENT

Cloth

APPLICATION STEPS

Before applying the product it is necessary taking a preliminary test to evaluate the suitability of the product on an unexposed area or unused piece of material

Surface Preparation

- Carefully clean the surface, making sure to remove any dust or dirt present.
- Wait for the surface to be treated to be completely dry.
- All surfaces close by not being treated must be protected
- Apply the product on surfaces with a temperature between +40 e +100°F

Applicazione

- Apply an even layer of product to cover the whole surface being treated, using the provided cloth. Make sure to create a layer that is as seamless and even as possible.
- After about 10 minutes from the application, make sure that there are no residues or excess product on the surface, and redistribute them if necessary, until they are completely absorbed.
- When applying the product to more absorbing surfaces, apply a second coat about 1-2 hours after the first one, following the same procedure described above.
- Once the treatment is done wait 24 hours before washing the surface. Wait up to 48 hours to allow the product to settle even more into the material for a long lasting performance.

Resume surface use

Surfaces will be dry about 1 hour from product application. When used on floor surfaces, wait at least 6 hours before opening the floor to foot traffic.

COMPLEMENTARY MAINTENANCE PRODUCTS MANUTENZIONE

After the treatment with **ENHANCER PLUS** we recommend using **CLEAN 360**, for the daily cleaning and maintenance.

INSTRUCTIONS AND GUIDELINES

- Do not apply the product on wet or heated surfaces
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- Before applying the product it is necessary to take a preliminary test to evaluate its suitability

EQUIPMENT CLEANING

The equipment used can be cleaned with white spirit

PHYSICAL TECHNICAL DATA

Formula	Liquid
Color	Clear
Odor	Solvent
Flammability (ASTM D56)	<21°C
Specific gravity 20°C	0,81 g/cm3

MADE IN ITALY 100%

FABER CHIMICA SRL
60044 FABRIANO (AN) ITALY - VIA G. CERESANI 10 - LOC. CAMPO D'OLMO
PI-CF / VAT NUMBER 0100744021 - P: +39 0732 62 71 78
INFO@FABERSURFACECARE.COM - FABERSURFACECARE.COM

SHOWROOM LINE

STORAGE	Keep the container tightly closed and store in a cool, dry place.
SHELF LIFE	36 months in the original, sealed packaging, stored in a cool, dry place.
ACCIDENTAL SPILLS	Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.
SAFETY	When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

Rev5.0 – 12/03/2025

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and/or modify the data and information contained in the datasheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case, you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability concerning the use of such data and suggestions.

MADE IN ITALY
100%

FABER CHIMICA SRL
60044 FABRIANO (AN) ITALY - VIA G. CERESANI 10 - LOC. CAMPO D'OLMO
PI-CF / VAT NUMBER 0100744021 - P: +39 0732 62 71 78
INFO@FABERSURFACECARE.COM - FABERSURFACECARE.COM